

Engine oils for passenger vehicle and vans

MOBIL 1 ESP FORMULA 5W-30

FULLY SYNTHETIC motor oil. Expertly engineered to prolong the life and to support the efficiency of your car's Emission Reduction System. This unique of leading edge components is compatible with Diesel Particular Filters and Gasoline Catalytic converters. Designed to deliver outstanding performance and protection in conjunction with improved fuel economy. API SM/SL/CF, ACEA C3/C2, A3/B3/B4, A5/B5, MB 229.31/229.51, VW 504.00/507.00, BMW LL-04, Recommended for use in applications requiring VW 502.00/503.00/503.01/505.00/506.00 and 505.01*/506.01* (*except Unit Injector/Pumpe Düse R5/V10 TDI engines and 3/4-cylinder PD TDI engines without longlife service/without DPF)

1000L
208L
4x4L
12x1L

MOBIL 1 NEW LIFE 0W-40

FULLY SYNTHETIC engine oil, expertly improved with a unique combination of high performance fluids including the SuperSyn™ anti-wear system, to deliver faster protection on start up for reduced engine wear and deposits, better fuel economy and excellent high and low temperature protection for all gasoline and diesel engines. API SM/SL/CF, ACEA A3/B3/B4, MB 229.5/229.3/229.1, BMW LL-01, Porsche, Opel GM-LL-A-025/GM-LL-B-025, VW 502.00/505.00(1/97)/503.01, Recommended by SAAB

1000L
208L
20L
4x4L
12x1L

MOBIL 1 FUEL ECONOMY FORMULA 0W-30

FULLY SYNTHETIC engine oil, expertly improved with a unique combination of high performance fluids including the SuperSyn™ anti-wear system, to deliver faster protection on start up high level fuel economy and excellent protection. Recommended for FORD Zetec, Duratec and DuraTorq DI engines. API SL/CF, ACEA A1/B1/A5/B5, ILSAC GF-3, FORD WSS M2C 913-A / 913-B, GM 4718M

208L
4x4L
12x1L

MOBIL 1 PEAK LIFE 5W-50

FULLY SYNTHETIC engine oil, expertly improved with a unique combination of high performance fluids including the SuperSyn™ anti-wear system, to deliver reduced engine wear and deposits, better fuel economy and excellent high and low temperature protection for all types of modern cars especially those with high performance and turbo charged engines. API SM/SL/CF, ACEA A3/B3/B4, MB 229.3/229.1, VW 505.00, Porsche approved

1000L
208L
60L
4x4L
12x1L

MOBIL 1 EXTENDED LIFE 10W-60

208L
20L
4x4L
12x1L

MOBIL 1 0W-20

208L
12x1L

MOBIL SUPER 3000 X1 5W-40

Superior performance SYNTHETIC engine oil with improved fuel economy. The low viscosity level delivers rapid oil flow and faster protection on start up to reduce engine wear and deposits for all types of modern cars especially those with high performance and turbo charged gasoline and diesel engines. API SL/CF, ACEA A3/B3/B4, VW 502.00/505.00, MB 229.3, BMW Longlife 98, Opel GM-LL-B-025

1000L
208L
60L
4x4L
12x1L

MOBIL SPECIAL X 5W-40

4x5L
12x1L

MOBIL SYST S ESP 5W-30

208L

MOBIL SUPER 2000 X1 10W-40

Extra high performance engine oil, delivers outstanding engine cleanliness and protection against wear at high temperatures and under severe operating conditions for all types of modern cars and vans especially those with high performance and turbo charged gasoline and diesel engines. API SL/CF, ACEA A3/B3, VW 505.00/500.00, MB 229.1

208L
60L
4x4L
12x1L

MOBIL MULTIGRADE 10W-40

4x5L
12x1L

MOBIL SPECIAL S 10W-40

4x5L
12x1L

MOBIL SUPER 1000 X1 15W-40

Premium quality mineral based engine oil, delivers excellent engine cleanliness and protection against wear and corrosion under a wide variety of operating conditions for cars and vans with gasoline and diesel engines. API SL/CF, ACEA A3/B3, VW 505.00, MB 229.1

208L
60L
4x4L
12x1L

MOBIL MULTIGRADE 15W-40

Mineral engine oil for all season protection for all types of vehicles, delivers engine protection and cleanliness under a delivers engine protection and cleanliness under a wide variety of operating conditions for gasoline and diesel engines. API SG

4x5L
12x1L

MOBIL SUPER 1000 X1 20W-50

Premium quality mineral based engine oil, delivers excellent engine under a wide variety of operating conditions for cars and vans with gasoline and diesel engines, older engines are also involved. API SL/CF, ACEA A3/B3 VW 505.00, MB 229.1

4x4L
12x1L

Diesel engine oils for passenger vehicle and vans

MOBIL 1 TURBO DIESEL 0W-40

FULLY SYNTHETIC engine oil, expertly improved with a unique combination of high performance fluids including the SuperSyn™ anti-wear system, to deliver faster protection on start up for reduced engine wear and deposits, better fuel economy and excellent high and low temperature protection for all gasoline and diesel engines. API CF, ACEA B3/B4, MB 229.5, VW 505.00, Opel GM-LL-B-025, BMW LL-01

4x4L
12x1L

MOBIL SUPER 2000 X1 DIESEL 10W-40

Extra high performance engine oil, delivers outstanding engine cleanliness and protection against wear at high temperatures and under severe operating conditions for all types of modern cars and vans especially those with high performance and turbo charged gasoline and diesel engines. API CF, ACEA A3/B3, VW 505.00, MB 229.1

208L
60L
4x4L
12x1L

MOBIL SPECIAL S TURBO DIESEL 10W-40

4x5L
12x1L

MOBIL SUPER 1000 X1 DIESEL 15W-40

Premium quality mineral based engine oil, delivers excellent engine cleanliness and protection against wear and corrosion under a wide variety of operating conditions for cars and vans with gasoline and diesel engines. API CF, ACEA B3, VW 505.00, MB 229.1

208L
4x4L
12x1L

MOBIL MULTIGRADE DIESEL 15W-40

4x5L
12x1L

Special engine oils for passenger vehicle and vans

MOBIL SHC FORMULA LD 0W-30

FULLY SYNTHETIC engine oil with outstanding fuel economy and extended oil drain capabilities for gasoline and diesel engines, also meets the requirements of PD ("pumpe duse") TDI engines with extended oil drain interval. VW 503.00/506.00/506.01

208L
12x1L

MOBIL SYST S SPECIAL V 5W-30

208L
60L
4X5L
12x1L

MOBIL SUPER 3000 FORMULA FE 5W-30

Formulated to provide outstanding fuel economy, reduced emissions and improved start-up protection for the gasoline and diesel engines of modern cars. Recommended for Ford Zetec, Duratec and DuraTorq DI engines. API SJ/CF, ACEA A1/B1, FORD WSS M2C 913-A / 913-B

208L
4x4L
12x1L

Motorcycle lubricants

MOBIL 1 RACING 4T 15W-50

FULLY SYNTHETIC engine oil for all types of high-powered 4-stroke motorcycle engines. Delivers exceptional engine protection and cleanliness for street and racing motorbikes, as well. API SL, JASO MA	12x1L
MOBIL EXTRA 4T 10W-40	
High performance SYNTHETIC BASED engine oil for all types of high-powered 4-stroke motorcycle engines. Delivers exceptional engine protection and cleanliness for street and racing motorbikes. API SL	12x1L
MOBIL 1 RACING 2T	
FULLY SYNTHETIC engine oil for all types of high-powered 2-stroke motorcycle engines. Reduces exhaust smoke and delivers exceptional engine protection and cleanliness for street and racing motorbikes, as well. API TC, JASO FC	12x1L
MOBIL SUPER 2T	
High quality mineral based engine oil for all types of high-powered 2-stroke motorcycle engines. Reduces exhaust smoke and delivers exceptional engine protection and cleanliness for motorbikes. API TC, JASO FC	12x1L
MOBIL SYNTHETIC MOTORCYCLE CHAIN LUBE	
FULLY SYNTHETIC chain lubricant for motorcycle chains, O-ring chains are also involved.	12x0,4L
Commercial vehicle engine oils	
MOBIL DELVAC 1 5W-40	
FULLY-SYNTHETIC Supreme Performance diesel engine oil with improved fuel economy for naturally aspirated and turbo-charged diesel equipment in on- and off-highway applications including light and heavy duty trucking, construction, mining, quarrying and agriculture, suitable for the most severe service operations and the longest oil drain intervals. API CI-4 PLUS/CI-4/CH-4/CG-4/CF-4/CF/SL, ACEA E7/E5/E4/E3, Global DHD-1, MB 228.5, Volvo VDS-3, Renault RVI RXD, Scania LDF, CAT ECF-1, DAF Extended Drain, DDC (4-stroke) 7SE270, DDC Power Guard 93K214, MACK EO-N Premium Plus 03/EO-M Plus, Cummins CES 20078/20077/20076/20075/20072/20071, JASO DH-1, Ford WSS-M2C-171D	208L 20L 4x4L
MOBIL DELVAC 1 SHC 5W-40	
Supreme performance FULLY SYNTHETIC diesel engine oil, provides excellent lubrication including fuel economy and extended engine life for naturally aspirated and turbo-charged diesel engines operating in most severe applications. Suitable for the longest oil drain intervals. API CE/CF, ACEA E4/B2, DAF Extended Drain, MACK EO-M, MB 228.5, MAN M3277, MTU Type 3, Renault RVI RXD, Volvo VDS-2, ZF TE-ML 04C, Deutz TBD 616 Marine	208L
MOBIL DELVAC 1 LE 5W-30	208L 20L
MOBIL DELVAC XHP ULTRA 5W-30	
Extra high performance SYNTHETIC based diesel engine oil provides outstanding protection and fuel economy. Suitable for the most severe operations and the longest oil drain intervals in naturally aspirated and turbo-charged diesel engines in on- and off-highway applications as well .	208L 20L
MB 228.5, MAN M3277	20L
MOBIL DELVAC XHP LE 10W-40	
Extra high performance SYNTHETIC based diesel engine oil to provide lubrication to modern, high performance, low emissions (Euro IV) engines used in severe on-highway applications. The new additive system has been engineered to prolong the life and maintain the efficiency of emission reduction system as DPF (Diesel Particulate Filter). ACEA E6/E4, MB 228.5/228.51, MAN 3477/3277 CRT	1000L 208L 20L
MOBIL DELVAC XHP EXTRA 10W-40	1000L
Extra high performance, fuel economy diesel engine oil for naturally aspirated and turbo-charged diesel equipment in on- and off-highway applications, suitable for the most severe service operations and the longest oil drain intervals. API CF, ACEA E7/E4, MB 228.5, MAN M3277, Volvo VDS-3/VDS-2, Renault RVI RXD, DAF Extended Drain, MTU Type 3, ZF TE-ML 04C	208L 20L 4x4L
MOBIL DELVAC XHP 10W-40	

Extra high performance, fuel economy diesel engine oil for naturally aspirated and turbo-charged diesel equipment in on- and off-highway applications, suitable for the most severe service operations and the longest oil drain intervals. API CF, ACEA E7/E4, MB 228.5, MAN M3277, Volvo VDS-3/VDS-2, Renault RVI RXD, DAF Extended Drain, MTU Type 3, ZF TE-ML 04C	208L
	20L

MOBIL DELVAC MX EXTRA 10W-40

Extra high performance diesel engine oil with improved fuel economy that provides excellent lubrication of today's engines operating in severe applications promoting extended engine life. Suitable for diesel and gasoline engines, as well. API CI-4/CH-4/CG-4/CF-4/CF/SL/SJ, ACEA E7/E5/E3/B4/B3/A2, MB 228.3/229.1, MAN M3275, Volvo VDS-3/VDS-2, MACK EO-M Plus, Renault RVI RLD, Cummins CES 20078/20077/20076/20072/20071, DDC (4-stroke) 7SE270, MTU Type1	208L
	20L

MOBIL DELVAC MX 15W-40

Extra high performance diesel engine oil that provides excellent lubrication of today's engines operating in severe applications promoting extended engine life. Suitable for diesel and gasoline engines. API CI-4/CH-4/CG-4/CF-4/CF/SL/SJ, ACEA E7/E5/E3/B4/B3/A2, MB 228.3/229.1, MAN M3275, Volvo VDS-3/VDS-2, MACK EO-M Plus, Renault RVI RLD, Cummins CES 20078/20077/20076/20075/20072/20071, DDC (4-stroke) 7SE270, CAT ECF-1, Allison C-4, MTU Type 1, ZF TE-ML 04C	bulk
	1000L
	208L
	60L
	20L
	4x4L

MOBIL DELVAC SUPER 1400 15W-40

High performance diesel engine oil for naturally aspirated and turbo-charged engines in on- and off-highway applications, suitable for diesel and gasoline engines, as well. API CG-4/CF/SJ, ACEA E3/B3/B4/A3, MB 228.3, MAN M3275, Volvo VDS-2, MTU Type 2	1000L
	208L
	60L
	20L

MOBIL DELVAC SUPER 20W-50

High performance diesel engine oil, recommended for use in a wide range of heavy-duty applications found in the trucking, construction and agricultural industries for gasoline and diesel engines including older ones. API CF-4/SG	208L
	20L
	4x4L

MOBIL DELVAC 1330

High performance monograde engine oil for naturally aspirated and turbo-charged gasoline and diesel engines. SAE 30, API CF/SF, MB 227.0, Allison C-4	208L
---	------

MOBIL DELVAC 1340

High performance monograde engine oil for naturally aspirated and turbo-charged gasoline and diesel engines. SAE 40, API CF/SF, MB 227.0, ZF TE-ML 02C	208L
--	------

MOBIL DELVAC 1350

High performance monograde engine oil for naturally aspirated and turbo-charged gasoline and diesel engines. SAE 50, API CF/SF, MB 227.0	208L
--	------

MOBIL DELVAC HYDRAULIC OIL 10W

	bulk
High performance hydraulic fluid is used in a wide range of on- and off-highway hydraulic applications, trucking, mining, construction, quarrying, and agricultural businesses. API CD/SF, Vickers 35 VQ 25	208L
	20L

Transmission oils

MOBILUBE 1 SHC 75W-90

FULLY SYNTHETIC supreme performance gear oil for use in commercial vehicle and passenger car manual transmissions, transfer cases and drive axles operating under a very wide range of temperature conditions. API GL-4/GL-5/MT-1, MAN 3343 SL, Scania STO 1:0, ZF TE-ML 02B / 05B / 07A / 08 / 12B / 16F / 17B / 19C, DaewooAvia Praga 6 PS 51	208L
	60L
	20L
	12x1L

MOBIL GEARLUBE VS 200 75W-90

FULLY SYNTHETIC high performance gear oil for use in VAG cars (VW, AUDI) manual transmissions and axles. Recommended for some Japanese cars' manual transmissions. API GL-4, VW 501.50, Nissan, Toyota, Mitsubishi	20L
--	-----

MOBILUBE HD 75W-90	
High performance, SYNTHETIC based gear lubricant for use in commercial vehicle and passenger car manual transmissions, transfer cases and drive axles operating under a wide range of temperature conditions. API GL-5	20L 12x1L
MOBILUBE XHP 75W-80	208L
MOBILUBE HD 80W-90	bulk 208L
High performance gear oil for use in commercial vehicle and passenger car manual transmissions, transfer cases and drive axles operating under a wide range of temperature conditions. API GL-5	20L 12x1L
MOBILUBE HD 85W-90-A	
High performance gear oil for use in commercial vehicle and passenger car manual transmissions, transfer cases and drive axles operating under a wide range of temperature conditions. API GL-5, MB 235.0, ZF TE-ML 05A / 07A / 12A / 16C / 17B, MAN 342 N	208L 20L
MOBILUBE HD-A PLUS 80W-90	208L 20L
MOBILUBE HD 85W-140	
High performance transmission oil for heavy duty differentials, axles and final drives in on-highway light and heavy duty trucks as well as in off-highway industries. API GL-5	208L 20L
MOBILUBE HD-N 80W-140	208L
MOBILUBE GX 80W-90	
High performance transmission oil for manual transmissions of commercial vehicles and passenger cars operating under a wide range of temperature conditions. API GL-4	208L 20L 12x1L
MOBILUBE S 80W-90	
High performance transmission oil for manual transmissions of commercial vehicles and passenger cars operating under a wide range of temperature conditions. API GL-4	208L 20L
MOBILUBE GX 80W-A	208L 60L
High performance transmission oil for manual transmissions of commercial vehicles, passenger cars and construction equipment. SAE 80W, API GL-4, MB 235.1, ZF TE-ML 02A / 08A / 17A, MAN 341 N	20L 12x1L
MOBIL SGO 75W-90	20L
MOBILUBE SHC(SYN)-LS 75W-90	
FULLY SYNTHETIC high performance gear oil for use in car transmissions, operating under a very wide range of temperature conditions. Suitable for use as a limited slip differential axle lubricant in commercial vehicles, construction equipment and passenger cars. API GL-5	20L 12x1L
MOBIL DELVAC SGO LS 75W90	20L 12x1L
MOBILUBE SHC 75W-140	
FULLY SYNTHETIC drivetrain lubricant engineered to meet the most demanding performance requirements, designed for use in heavy-duty drivetrains where extreme pressures and shock loading are expected. API GL-5, STO 1:0	20L
MOBIL DELVAC SGO LS 75W140	208L 20L
MOBILUBE LS 85W-90	
High performance transmission oil for use as a limited slip differential axle lubricant in commercial vehicles, construction equipment and passenger cars. API GL-5, ZF TE-ML 05C / 12C / 16E	208L 20L

MOBILTRANS HD 50	bulk
High performance gear oil for off-highway vehicles' transmissions, drive lines and hydraulic systems, prevents oxidation and corrosion. SAE 50, Caterpillar TO-4, ZF TE-ML 03, Allison C-4, Vickers 35 VQ 25	208L 20L
MOBILTRANS HD 30	bulk
	1000L
High performance gear oil for off-highway vehicles' transmissions, drive lines and hydraulic systems, prevents oxidation and corrosion. SAE 30, Caterpillar TO-4, ZF TE-ML 03, Allison C-4, Vickers 35 VQ 25	208L 20L
MOBILTRANS HD 10W	
High performance gear oil for off-highway vehicles' transmissions, drive lines and hydraulic systems, prevents oxidation and corrosion.	bulk 208L
SAE 10W, Caterpillar TO-4, ZF TE-ML 03C, Allison C-4	20L
MOBILTRANS MBT 75W-90	
FULLY SYNTHETIC manual transmission oil engineered to provide outstanding shear stability and excellent shifting performance in wide range of temperature conditions.	
API GL-4, MB 235.11	208L
Automatic transmission oils	
MOBIL ATF SHC	
FULLY SYNTHETIC automatic transmission fluid, suitable for automatic transmissions and power steering systems. GM Dexron IIE, Ford Mercon M-921202, Ford M2C 138 CJ, Ford M2C 166H, MAN 339D, MB 236.5/236.8, ZF TE-ML 14C / 16M, Caterpillar TO-2, Allison C-4-18231693, Renk Doromat, Voith Extended Drain	20L 12x1L
MOBIL ATF 3309	208L 20L 12x1L
MOBIL ATF 3353	20L
MOBIL ATF LT 71141	20L 12x1L
MOBIL ATF 320	208L 20L
High performance automatic transmission fluid, suitable for automatic transmissions and power steering systems. GM Dexron III G 34075, Ford Mercon M-931220, Voith G607, Renk Doromat, ZF TE-ML 04D / 17C, Allison C-4-28723699	12x1L
MOBIL ATF 220	
High performance automatic transmission fluid, suitable for automatic transmissions, power steering systems, and hydrodynamic torque converters. GM Dexron IID, Ford M2C 33G, MB 236.7, MAN 339D, ZF TE-ML 09A / 11A / 14A, Voith G607, Allison C-4-14290590, Renk Doromat, Caterpillar TO-2	208L 20L 12x1L
Greases	
MOBIL GREASE XHP 322S	
	18Kg
MOBIL GREASE SPECIAL	
	180Kg 18Kg 5Kg 12x0,4Kg
Water resistant grease with Molybden-disulfide for vehicles operating under very severe conditions, very high or dynamic load and fill-for-life bearings. NLGI 2, LITHIUM SOAP, MOLIBDEN-DISULFIDE	
MOBIL CHASSIS GREASES LBZ	
Semi-fluid grease for central lubrication systems of commercial vehicles, protects against wear and corrosion. NLGI 000/00. LITHIUM SOAP. SEMI-FLUID. MB 264. MAN 283 Li-P	

18Kg

Special products

MOBIL BRAKEFLUID UNIVERSAL DOT4

FULLY SYNTHETIC brake fluid for hydraulic brake and clutch systems of passenger cars and commercial vehicles. FMVSS 116 DOT4, SAE J 1703, ISO 4925, Ford SA-M6C-9103A, British Leyland BLS/BF2/2

MOBIL ANTIFREEZE ADVANCED

Produced with BASF's Glysantin™ technology. Protects effectively all metals used in cooling circuits against corrosion, cavitation and overheating. Nitrite-, amine-, phosphate free. MB DBL 7700.30, 325.3, VAG 774-D/F (VW G12), MTU MTL 5048, MAN 324 SNF

MOBIL ANTIFREEZE

Monoethylene- glycol based antifreeze concentrate for all modern passenger car and commercial vehicle cooling systems. Protects effectively all metals used in cooling circuits against corrosion. Meets with BS6580-1992 standard.

Agri products

MOBIL AGRI SUPER 15W40

Premium quality multipurpose tractor oil for most farm equipment applications. Suitable for use in diesel and gasoline engines, transmissions, hydraulics, final drives and wet brakes operating in agricultural service. STOU, API CF/CE/SF, API GL-4, John Deere J27, Allison C-4,

Massey-Ferguson MF1139 / MF1144, Ford New Holland-M2C 159B, ZF TE-ML 06B/07B

MOBILFLUID 426

Extra high performance multipurpose tractor lubricant engineered to meet transmission, hydraulic and wet brake requirements. UTTO, SAE 80W / 10W-30, API GL-4, New Holland FNHA-2-C 201.00, Massey-Ferguson MF1135 / MF1141 / MF1143, ZF TE-ML 05F

Ford ESN-M2C134D, John Deere JDM J20C, Agco Power Fluid 821XL, Denison HF-0 / HF-1 / HF-2, CAT TO-2

Jl Case MS 1204-07/09, Volvo WB 101/BM, Kubota UDT, CNH MAT 3525, Allison C-4, Vickers 35VQ25,

MOBILFLUID 424

Extra high performance multipurpose tractor lubricant engineered to meet transmission, hydraulic and wet brake requirements. UTTO SAE 80W / 10W-30, API GL-4, John Deere JDM J20C, Massey-Ferguson MF1135 / MF1141, CAT TO-2

Ford ESN-M2C134D, New Holland FNHA-2-C 201.00, Agco Power Fluid 821XL, Denison HF-0 / HF-1 / HF-2,

Jl Case MS 1204-07/09, Volvo WB 101/BM, Kubota UDT, CNH MAT 3525, Allison C-4, Vickers 35VQ25,

MOBILFLUID 422

Extra high performance multipurpose tractor lubricant engineered to meet transmission, hydraulic and wet brake requirements. UTTO, SAE 10W-30, API GL-4, Case New Holland ESN-M2C 86B, Massey-Ferguson MF1135

MOBILFLUID 125

Extra high performance power transmission fluid, engineered for use in hydrodynamic gears and hydraulic systems used in a wide range of severe operating environments. Voith turbo transmissions 3.285-149